

# S225-KIT : Plate bearing equipment, 200kN, 3 dial gauges, analogue measuring

**STANDARDS** : CNR N. 146 METHOD B, BS 1377:9, ASTM D1195, ASTM D1196, CNR N. 92

Analogue measuring system with 200 kN capacity and three dial manometers, consisting of:

- **S225-01** Hydraulic jack 200 kN capacity, complete with hand pump, rubber pipe with fast connector, set of extension rods of different lengths, carrying case.
- **S225-02** Pressure gauge 0-200 kN, div. 1 kN.
- **S226-13** Upper spherical seat.
- **S226-05** Load plate Ø 300 mm.
- **S226-06** Intermediate plate Ø 160 mm.
- **S222-03** Datum bar assembly, 2.5 m long, telescopic, aluminium made, adjustable in height, complete with base supports, plumb and spirit level. Packed separately.
- **S377** n° 3 dial gauges 25x0.01 mm
- **S226-16** n° 3 articulated dial gauge supports with adjustment device.

**Weight** : 70 kg approx.



**S225-KIT**



# S225D-KIT : Plate bearing equipment, 200kN, 3 dial gauges, digital measuring

**STANDARDS** : CNR N. 146 METHOD B, BS 1377:9, ASTM D1195, ASTM D1196, CNR N. 92


Digital measuring system with 200 kN capacity and three dial manometers, consisting of:

- **S225-01** Hydraulic jack 200 kN capacity, complete with hand pump, rubber pipe with fast connector, set of extension rods of different lengths, carrying case.
- **S225-02D** Digital pressure gauge 0-200 kN, with 10N resolution
- **S226-13** Upper spherical seat.
- **S226-05** Load plate Ø 300 mm.
- **S226-06** Intermediate plate Ø 160 mm.
- **S222-03** Datum bar assembly, 2.5 m long, telescopic, aluminium made, adjustable in height, complete with base supports, plumb and spirit level. Packed separately.
- **S377** n° 3 dial gauges 25x0.01 mm
- **S226-16** n° 3 articulated dial gauge supports with adjustment device.

**Weight** : 70 kg approx.



**S225D-KIT**



### Accessory:

- **S223-02** Pressure gauge 0 - 50 kN for 200 kN plate bearing

### Spare parts :

- **S222-01** Hydraulic jack
- **S222-02** Dial pressure gauge
- **S226-05** Loading plate Ø 300 mm
- **S226-06** Loading plate Ø 160 mm
- **S226-13** Upper spherical seat
- **S226-16** Articulated adjustable dial support
- **S377** Dial gauge, NF, BS
- **S222-03** Bar



**S377**